DL MINI - DLC - DLC1 - DLC2 - DLC1 V-R



Adaptable to all the cameras with insertable dimensions



Front plate with bayonet attachement Nikonos type to use with cameras interchangeable lenses

Technical features TYPE OF MATERIAL: Alluminium / Lexan / Inox

SIZE - external **DL MINI** : 124x91x60mm

DLC : 136x96x86mm **DLC1** : 155x100x100mm

DLC2 :155x100x135mm (and over)

SIZE - internal **DL MINI** : 108x75x40mm

 DLC
 :115x75x75mm (and over)

 DLC1
 :140x95x80mm (and over)

 DLC2
 :140x95x115mm (and over)

WEIGHT IN AIR **DL MINI** : Kg. 0,600

DLC : Kg. 1 DLC1 : Kg. 1,200 DLC2 : Kg. 1,400 WEIGHT UNDERWATERdepend of cameras model +/- neutral

WATERPROOF RESISTANIBLEG S

LATCH DL MINI : 3 inox latch with twin safety

DLC, DLC1, DLC2 : 2 inox latch with safety

FLASHES CONNECTION : slave system / Lights

DLC, DLC1, DLC2 : slave mode/L2000 Light

STANDARD PUSH COMDILINDNI : Shutter release, Zoom (additional commands: on r

DLC, DLC1, DLC2: Shutter release, Zoom, push flash/macro (additional commands: on request)

ACCESSORY SADDLE **COLUMNIT**OP 1 M6 port, 1 M8 port, arms attachement

DLC, DLC1, DLC2

DEPTH RATING **DL MINI** : 80 mt (100 mt on request)

DLC, DLC1, DLC2 : 100 mt (240 feet) - 130 mt on request (390 feet)

CAMERAS MODEL

(INSERTABLE/ADAPTAEDEMINI : All included on internal above size

DLC, DLC1, DLC2 : Canon™, Nikon™, Sony™, Minolta™, Pentax™, HP™, etc. (and other similar

ACCESSORY AND OPTI**DNALNI** : UR PRO filters, saddle, handle, slave, lights; shot

DLC, DLC1, DLC2: UR PRO filters, saddle, flashes slave, lights L2000, flat dome lens 06x, DOME

FRONT PORT DL MINI : different size on the basis camera models

DLC, DLC1, DLC2 :

(*)DLC/DLC1/DLC2 housing can be re-adapted to other cameras with fitting dimensions by the the simple substitution of the two front/back glasses and the readaptation of the saddle.

(**) In junction with a 35 mm an equivalent field of 80° is obtained

(***) In junction with a 35 mm an equivalent field of 95° is obtained

UNDERWATER HOUSING FOR REFLEX-DIGITAL CAMERA DLC1 V-R





COLUMN TO THE DENIES OF THE PORT OF THE PO