



**1 - MINIHANDYLIGHT**  
**10-35**

cod. 494

Aluminium anticorrosion anodized  
Tempered glass float type  
Depth rating: 490 feet  
Waterproof resistance by O rings  
Bulb type: halogen G4 6V, 10/20/35 W  
Battery pack: NiCd interchangeable and water resistant  
Time of charge (std. charge): 6 hours  
Time of charge (optional automatic charger): 2 hours  
Quartz treated reflecting element  
Angle of light: 40° 1mt  
Burn time with 10W: 45 min  
ON/OFF with electromechanical switching  
Size: length 158 mm, Ø 56 mm  
Weight: 0,620 Kg (on air) - 0,100 Kg (underwater)

**2 - HANDYLIGHT**  
**10-35**

cod. 495

Power supply: 6V, 3A  
Lamps: 10/20/35W  
Burn time: 40' (20W)  
Weight (in air): 0.7 Kg  
Weight (in water): 0.2 Kg  
Length: 200 mm, Ø 56 mm  
The Handylight's reflecting group can be separated and connected by cable to its battery pack or to the

**3 - SUPERHANDYLIGHT**  
**10-35**

cod. 496

Power supply: 12v, 3A

Lamps: 10/20/35 W

Burn time: 80' (20W)

Weight (on air): 1.2 Kg

Weight (underwater): 0.4 Kg

Length: 285 mm, Ø 56 mm

The Handylight's reflecting group can be parted and connected by cable to its battery pack or to the rear

#### 4 - SUPERHANDYLIGHT 10-50

cod. 496 F



Material type	alluminium anticorodal anodized
front glass	tempered float glass
Depth use	150 mt "special type = 250 mt"
waterproof	by o rings
bulbs type	halogen G6 12V, 10/20/35/50 W
replace bulbs	

Unscrew screw and pull out bulbs group of the head

-see picture-



batteries	12V- NiCd, 3A
recharge time	6h / "optional automatic recharge battery 3h"

## Low/medium Power Lights (10-50 W)

---

parabola	quartz
light angle	
	40° at 1 mt.
burn time with bulbs 20 W/80'	
ON/OFF	
	with pushbutton electromechanical
size	
	L 300 mm, Ø 56 mm
weight	
	on air 1,200 Kg. / underwater 0,400 Kg.